RG104 E-1 Box 159

The Mint of the United States,
at Philadelphia, Aug. 30 1889

Hon. Daniel M. Fox
Superintendent.

Sir: I most respectfully suggest that in separating the large vault into compartments the lattice work be run north and south from the transverse girder and in the line of the columns. This will utilize all of the space, require but three doors, and give greater solidity and resistance to strain.

I am assured that this plan will require about the same amount of lattice and will be followed without increased cost over present contract price.

I think any expert will agree that the plan of construction herein suggested will give better satisfaction than any other.

RG104 E-1 Box 159

Mint of the United States,
at Philadelphia, _____ 187_

I would also respectfully suggest that the S.E., & S.W. corners of the vault (marked A and B, respectively on revised blue print) be converted into compartments, the lattice work to hinge on the columns on either side of the entrance. This will utilize corner space and will not interfere with the working space.

Respectfully

Allen Cobb

NARA RG104, Entry 1, Box 159

The Mint of the United States,
At Philadelphia,
August 30, 1889

Hon. Dan. M. Fox
Superintendent

Sir:

I most respectfully suggest that in separating the large vault into compartments the lattice work be run north and south from the transverse girder and in the line of the columns. This will utilize all of the space, require but three doors, and give greater solidity and resistance to strain.

I am assured that this plan will require about the same amount of lattice and will be followed without increased cost over present contract price.

I think any expert will agree that the plan of construction herein suggested will give better satisfaction than any other.

I would also respectfully suggest that the S.E. & S.W. corners of the vault (marked A and B, respectively on revised blue print) be converted into compartments, the lattice work to hinge on the columns on either side of the entrance. This will utilize corner space and will not interfere with the working space.

Respectfully,
M.H. Cobb
Cash.